SPRATIK 812

Conventional CHARGE

CHARGER FEATURES

- ▶ 120/240Vac, 1 phase, 50/60Hz models
- ▶ Selectable output voltage for 12 or 24Vdc
- For fixed or on-board applications
- Automatic refresh charging
- ▶ Automatic equalize
- ▶ Lead/acid, AGM, gel, lithium modes
- ▶ Short circuit and overload protection
- ▶ Integrated relay for equipment start-up control
- Mountable on walls, shelves and equipment



SMALL AND VERSATILE HIGH FREQUENCY CHARGERS


The PRATIK series was designed to charge multiple battery types in a variety of applications. It's high frequency switchmode technology enables a fully automatic, efficient and silent microprocessor controlled operation in a small enclosure. The exclusive charge curves reduce the load factor to a minimum, greatly diminishing the overcharge/gassing phase and the average temperature of the batteries.



S PRATIK 812

MODEL NUMBER	CAPACITY 5H MIN/MAX LEAD/ACID (Ah)	CAPACITY 5H MIN/MAX AGM/GEL (Ah)	AC CURRENT 120V (A)	AC CURRENT 240V (A)
PHF-HD3-1201P-24/25	100 / 315	100 / 315	10.0	5.0

MODEL NUMBER BREAKDOWN



CABINET DIMENSIONS (L x W x H in inches)

 $9.50 \times 6.00 \times 3.50$

WARRANTY

▶ 1 Year Full





COMPACT AND PORTABLE

Perfect for on-site applications, rental fleets or where AC input is limited







